

TECHNICAL SPECIFICATION

INDOOR DOWNLIGHT CR-771 / CR-772



Technical data

- Nominal voltage: 12VAC
- Decorative LED Ring Power: 3W
- Lampholder: GU 5.3
- Rated power: max. 50W
- Housing: Aluminium & polyester with decorative LED lighting 150lm
- 3W driver for LED ring included
- Colour of the housing: Chrome and silver; Chrome and gold
- Cutting hole: 60mm

Areas of application

- Domestic application
- Accent lighting
- Indoor lighting
- Decorative lighting


Product benefits

- Attractive design
- Luxury appearance
- LED Light ring included
- Suitable for indoor mounting
- Glass and crystal material body
- The glass and crystal housing allows the light to spread through it
- Environmentally friendly - no mercury and lead
- Resistant to shock and vibration stable body

Dimensions

Model	Description	Colour body	Size			Catalogue number
			Diameter	Height	Cutting hole	
925P771R/CL	Spotlight	Crystal	95	22	60	925P771R/CL
925772S/CL	Spotlight	Crystal	100	22	60	925772S/CL
925772S/CF	Spotlight	crystal	100	22	60	925772S/CF

Energy efficiency



Standards

EN 55015
EN 61000-3-2
EN 61000-3-3
EN 61547
EN 60598-1, EN 60598-2-3

