

## TECHNICAL SPECIFICATION

### Fluorescent cabinet fixture - CAB-01



#### Technical data

- Nominal voltage: 230V/50-60Hz
- Fluorescent tube type (included in the commercial kit): T5/G5
- Power supply: Electronic control gear
- Colour temperature: 6500K
- Product colour: White
- Body: Robust plastic body
- Diffuser: Prismatic cover
- Models: 6W/8W/13W/14W/21W/28W
- Installation type: Surface mounting by means of fasteners
- Dimmable: No
- Lampholder designation: G5
- Switch: Yes
- Dust and humidity protection level: IP21
- Protection against electric shock : II
- Protection against ignition and fire: Class F

Note: Accessories included in the commercial kit: 1.5m power cord with plug and connector; 15cm connector; fasteners:




## Areas of application

- Service premises
- Stylized niches and bays on the ceilings and walls
- Shelves and cases
- Glass cases of home libraries and cabinets
- Wall-hung kitchen cupboards
- Wardrobes and dressing rooms

## Product benefits


- Easy to install and maintain
- Economic power consumption
- Absolutely noiseless
- Bright and even light distribution

## Variants and dimensions



Watt	Colour body	Size (mm)			Ballast	Catalogue number	Packing (pcs)
		Length	Width	Height			
6W	white	268	23	44	electronic	901506	40
8W	white	343	23	44	electronic	901508	40
13W	white	573	23	44	electronic	901513	30
14W	white	607	23	44	electronic	901514	30
21W	white	905	23	44	electronic	901521	20
28W	white	1207	23	44	electronic	901528	20

## Energy efficiency



## Barcodes

Barcode	Catalogue number
3800131160539	901506
3800131160546	901508
3800131160553	901513
3800131160560	901514
3800131160577	901521
3800131160584	901528

## Standards

EN 55015

EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61000-3-2; EN 61000-3-3

EN 61547

EN 60598-1; EN 60598-2-1

