

## TECHNICAL SPECIFICATION

### Fluorescent cabinet fixture - CAB-02



#### Technical data

- Nominal voltage: 230V/50-60Hz
- Fluorescent tube type (included in the commercial kit): T5/G5
- Power supply: Electronic control gear
- Colour temperature: 6500K
- Product colour: White
- Body: Robust plastic body
- Diffuser: Prismatic cover
- Models: 6W/8W/13W/21W
- Installation type: Surface mounting by means of fasteners
- Dimmable: No
- Lampholder designation: G5
- Switch: Yes
- Dust and humidity protection level: IP21
- Protection against electric shock : II
- Protection against ignition and fire: Class F

Note: Accessories included in the commercial kit: 1.5m cable with plug connected to the body; fasteners:




## Areas of application

- Service premises
- Stylized niches and bays on the ceilings and walls
- Shelves and cases
- Glass cases of home libraries and cabinets
- Wall-hung kitchen cupboards
- Wardrobes and dressing rooms

## Product benefits


- Easy to install and maintain
- Economic power consumption
- Absolutely noiseless
- Bright and even light distribution

## Variants and dimensions



Watt	Colour body	Size (mm)			Ballast	Catalogue number	Packing (pcs)
		Length	Width	Height			
6W	white	280	23	44	electronic	902506	40
8W	white	359	23	44	electronic	902508	40
13W	white	580	23	44	electronic	902513	30
21W	white	920	23	44	electronic	902521	20

## Energy efficiency



## Barcodes

Barcode	Catalogue number
3800131160621	902506
3800131160638	902508
3800131160645	902513
3800131160652	902521

## Standards

EN 55015

EN 61000-3-2; EN 61000-3-3

EN 61547

EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11;

EN 60598-1; EN 60598-2-1

