

TECHNICAL SPECIFICATION

LED Lamp - LEDCOB PAR30



Technical data

- Nominal voltage: 230V/50Hz
- Power: 10W
- Colour temperature: 2700K; 4000K
- LED type: COB
- Light source: Epistar Taiwan
- Base: E27
- Beam Angle: 38°
- Colour rendering index: Ra≥80
- Average Lifetime: 30 000h
- Colour rendering index: Ra≥80
- Switch on/off > 20000


Areas of application

- Shop interiors, shop windows
- Shopping arcades
- Museums, exhibitions
- Industry
- Parks and gardens
- Buildings, monuments, bridge

Product benefits


- Lower maintenance cost thanks to longer lifetime
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

Variants and dimensions



Watt	Colour	LED chip lumens (lm) / LED(pcs)	LED lamp lumens (lm)	Colour temp. (K)	Size (mm)		Catalogue number	Packing (pcs)
					Length	Diameter		
10W	white	1100/1	700	4000	100	95	99LED700	50
10W	warm white	1100/1	700	2700	100	95	99LED701	50

Energy efficiency



Barcodes

Barcode	Catalogue number
3800131188670	99LED700
3800131188687	99LED701

Standards

EN 55015

EN 61000-3-2; EN 61000-3-3; EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61547

EN 62560

